

The congress will be organized into the following sections: mathematical logic; foundations of mathematical theories; philosophy of logic and mathematics; general problems of methodology and philosophy of science; foundations of probability and induction; methodology and philosophy of physical sciences; methodology and philosophy of biological and psychological sciences; methodology and philosophy of social sciences; methodology and philosophy of linguistics; methodology and philosophy of historical sciences; and history of logic, methodology, and philosophy of science.

The proceedings will consist of a number of invited addresses, in addition to brief contributed papers. The closing date for submission of abstracts of contributed papers is 1 March 1960. Information may be obtained by writing to Prof. Patrick Suppes, Serra House, Stanford University, Stanford, Calif.

Forthcoming Events

October

1-4. American Soc. of Industrial Designers, Asheville, N.C. (Mrs. R. R. Larisch, ASID, 15 E. 48 St., New York 17.)

4-7. American Inst. of Mining, Metallurgical and Petroleum Engineers, fall, Dallas, Tex. (E. O. Kirkendall, AIMMPE, 29 W. 39 St., New York 18.)

4-9. Society of Motion Picture and Television Engineers, semi-annual conv., New York, N.Y. (C. S. Stodter, SMPTE, 55 W. 42 St., New York, 36.)

5-7. Aeronautical Communications, 5th symp., Utica, N.Y. (L. G. Cumming, Inst. of Radio Engineers, 1 E. 79 St., New York 21.)

5-7. Chemical Engineers, annual, Essen, Germany. (Dr. Miessner, VDI-Fachgruppe, Verfahrenstechnik, Rheingaullee 25, Frankfurt-am-Main.)

5-7. National Assoc. of Corrosion Engineers, Northeast regional, Baltimore, Md. (T. J. Hull, NACE, 1061 M & M Bldg., Houston, Tex.)

5-8. American Acad. of Pediatrics, Chicago, Ill. (E. H. Christopherson, 1801 Hinman Ave., Evanston, Ill.)

5-9. American Soc. of Anesthesiologists, Bal Harbour, Fla. (J. W. Andes, 188 W. Randolph St., Room 1101, Chicago, Ill.)

5-9. Audio Engineering Soc., 11th annual, New York, N.Y. (AES, P.O. Box 12, Old Chelsea Station, New York 11.)

5-10. Society of Automotive Engineers, aeronautical meeting and aircraft manufacturing forum, Los Angeles, Calif. (R. W. Crory, Meetings Operation Dept., SAE, 485 Lexington Ave., New York 17.)

5-16. Institute of the Aeronautical Sciences, biennial Anglo-American conf., New York, N.Y. (R. R. Dexter, IAS, 2 E. 64 St., New York 21.)

6. American Assoc. of Poison Control Centers, 2nd annual, Chicago, Ill. (A. S. Blank, AAPCC, Connecticut State Dept. of Health, Hartford 15.)

6-8. Aeronautical/Astronautical Problems of High Speed Flight, Stanford,

Calif. (E. Haynes, Deputy Director, Aero Sciences Directorate, Air Force Office of Scientific Research, Washington 25.)

6-9. High Temperature Technology, intern. symp., Asilomar, Calif. (Public Relations Office, Stanford Research Inst., Menlo Park, Calif.)

7-8. Advanced Propulsion, 2nd symp. (classified), Boston, Mass. (Lt. Col. P. Atkinson, Propulsion Div., Air Force Office of Scientific Research, Washington 25.)

7-9. Vacuum Technology, symp., Philadelphia, Pa. (American Vacuum Soc., Box 1282, Boston, Mass.)

7-11. International Conv. on Nutrition and Vital Substances, 5th, Konstanz-Zurich, Switzerland. (Secretary General, Benmeroderstrasse 61, Hannover-Kirchrode, Germany.)

8-10. American Assoc. of Textile Chemists and Colorists, natl. conv., Washington, D.C. (G. P. Paine, AATCC, P.O. Box 28, Lowell, Mass.)

8-10. American Ceramic Soc., Bedford, Pa. (F. P. Reid, ACS, 4055 N. High St., Columbus 14, Ohio.)

8-10. American Soc. of Tool Engineers, semi-annual, St. Louis, Mo. (H. E. Conrad, ASTE, 10700 Puritan Ave., Detroit 38, Mich.)

8-10. Biology of Pyelonephritis, intern. symp., Detroit, Mich. (E. L. Quinn, Henry Ford Hospital, W. Grand Blvd. at Hamilton, Detroit 2.)

8-10. Optical Soc. of America, annual, Ottawa, Canada. (S. S. Ballard, Dept. of Physics, Univ. of Florida, Gainesville.)

9-13. American Soc. of Civil Engineers, Los Angeles, Calif. (E. S. Kirkpatrick, ASCE, 33 W. 39 St., New York 18.)

11-16. American Acad. of Ophthalmology and Otolaryngology, Chicago, Ill. (W. L. Benedict, 15 Second St., SW, Rochester, Minn.)

11-16. American Inst. of Electrical Engineers, fall general, Chicago, Ill. (N. S. Hibshman, AIEE, 33 W. 39 St., New York 18.)

11-16. American Soc. for Testing Materials, Pacific area natl., San Francisco, Calif. (R. J. Painter, ASTM, 1916 Race St., Philadelphia 3, Pa.)

12-14. Clay Conf., 8th natl., Norman, Okla. (C. G. Dodd, Eighth Natl. Clay Conf., University of Oklahoma, Norman.)

12-14. Electronics Conf., 15th annual natl., Chicago, Ill. (NEC, 228 N. La Salle St., Chicago 1, Ill.)

12-16. Macromolecules, intern. symp. (IUPAP), Wiesbaden, Germany. (W. Mauss, Intern. Symp. on Macromolecules, c/o Kalle & Co., Rheingaustrasse 25, Wiesbaden-Biebrich, Germany.)

12-19. Venereal Diseases, intern. cong. (by invitation), London, England. (G. E. W. Wolstenholme, Ciba Foundation, 41 Portland Pl., London, W.1, England.)

13-17. International Union against the Venereal Diseases and the Treponematoses, London, England. (Institut Alfred Fournier, 25, Boulevard Saint-Jacques, Paris 14^e, France.)

14-16. Parenteral Drug Assoc., annual conv., New York, N.Y. (H. E. Boyden, Parenteral Drug Assoc., 130 E. 59 St., New York 22.)

(See issue of 21 August for comprehensive list)

New Products

The information reported here is obtained from manufacturers and from other sources considered to be reliable, and it reflects the claims of the manufacturer or other source. Neither Science nor the writer assumes responsibility for the accuracy of the information. A coupon for use in making inquiries concerning the items listed appears on page 582.

■ **TEMPERATURE CONTROLLER** for high-power applications controls 140 kva if water-cooled ignitrons are used or 50 kva if air-cooled types are used. The regulator includes an electronic controller and an ignitron firing circuit. By varying the firing angle of the ignitrons, the controller proportionally regulates the load power. (Research Inc., Dept. 18)

■ **VOLTAGE-TO-FREQUENCY CONVERTER** accepts d-c input voltage from 0 to 1000 v in four ranges and provides corresponding frequency output from 0 to 10,000 cy/sec. Input impedance is 1 megohm shunted by 200 pf. Accuracy of ± 0.1 percent of full scale is claimed. Signals of either polarity may be measured. A mercury cell within the instrument permits calibration. (Dymec Inc., Dept. 21)

■ **WELDER** can be used to put taps onto single turns of potentiometer windings made of 0.0005-to-0.008-in. wire. A thin ribbon material is used to obtain connections with low terminal resistance. A built-in ohmmeter and an electronic metering circuit produce an audible signal to indicate the correct turn to which the weld is to be made. (Ewald Instruments, Dept. 23)

■ **SIGNAL GENERATOR** covers the frequency range 125 kcy to 175 Mcy/sec in calibrated bands, both modulated and unmodulated. Crystal-controlled frequencies are provided on harmonics up to 250 Mcy/sec. Output is metered from 0.1 to 10^6 μ v without external attenuation. (Hickok Electrical Instrument Co., Dept. 24)

■ **BALL REBOUND TESTER** tests resilience of foamed plastic by dropping a steel ball $\frac{5}{8}$ in. in diameter onto the sample and measuring the rebound. The steel ball is released in a clear plastic vertical tube by an electromagnet. Circles scribed on the tube aid in estimating rebound height. (Custom Scientific Instruments, Dept. 25)

■ **AMINO-ACID ANALYZER** performs analysis of over 20 amino acids in less than 24 hr. Results are said to be consistent within ± 2 to 3 percent. The instrument separates the amino acids, carries out the Ninhydrin reaction on the effluent, and records the optical density photometrically. Temperature is controlled within $\pm 0.2^\circ\text{C}$. Output can be read to

OPTIKA I SPEKTROSKOPIYA

now available in translation as

OPTICS AND SPECTROSCOPY

beginning with January 1959 issue at new low rates

Publishing results of experimental and theoretical investigations by leading Soviet Scientists. Articles in all branches of optics and spectroscopy, including X-ray, ultraviolet, visible, infrared and microwave, thin layer optics, filters, detectors, diffraction gratings, electro-luminescence, thermal radiation backgrounds, infrared polarizers and many applications to other branches of science and to industry.

Translated and published by the OPTICAL SOCIETY OF AMERICA, this branch of Soviet Science is now made available to all interested individuals and organizations along with the *Journal of the Optical Society of America* at the rate of a single journal alone. This was made possible by a grant-in-aid from the NATIONAL SCIENCE FOUNDATION to the OPTICAL SOCIETY OF AMERICA. Comments on the Soviet articles will appear in the Letters to the Editor column of the *Journal of the Optical Society of America*.

	U.S. & Canada (both journals)	Elsewhere (both journals)
Associate membership dues Optical Society of America	\$13.00	\$13.00
Non-member subscription	\$25.00	\$28.00

For membership in the OPTICAL SOCIETY OF AMERICA please write to Dr. K. S. Gibson, Secretary, Optical Society of America, National Bureau of Standards, Washington 25, D. C. Qualification for membership consists of "an interest in optics."

For non-member subscriptions write to the AMERICAN INSTITUTE OF PHYSICS, 335 E. 45th Street, New York 17, New York.

0.001 optical density units. Three photometers are used, two at 570 m μ and one at 440 m μ for maximum accuracy over a wide range of concentrations and for a variety of amino acids. (Beckman Instruments, Inc., Dept. 27)

■ SILICONE RUBBER POTTING COMPOUND is color-coded for identification of encapsulated materials. The compound is supplied as a pourable liquid suitable for either dipping or knife coating. Setting time is 25 min. The fully cured material retains its resiliency to -70°F. (Plastic Associates, Dept. 30)

■ TEST CHAMBER simulates altitudes in the range 100,000 to 250,000 ft. Altitude simulation is combined with temperature range of -100° to +300°F. Vibration can be coupled through a bellows arrangement that permits test items to be bolted directly to the vibration-generator table. Rate of pressure change equivalent to rate of climb of 25,000 ft/min. (Conrad, Inc., Dept. 32)

■ FLUORIDE REAGENT permits colorimetric microdetermination of fluoride in 15 to 20 min. The reagent, lanthanum chloranilate, is supplied as a stable powder, certified for sensitivity to fluorides, to be added by the user directly to a buffered solution containing the fluoride. The manufacturer guarantees sensitivity to 0.5 parts per million when absorbance is measured at 340 m μ . Precision and accuracy of approximately ± 1 percent are claimed. Acetate, sulfate, nitrate, chloride, bromide, and iodide ions or carbonates do not interfere. (Fisher Scientific Co., Dept. 33)

■ TIME-INTERVAL METER operates by charging a capacitor through an electronic gate controlled by the events being observed. The voltage built up across the capacitor, a measure of the time interval, is displayed by a vacuum-tube voltmeter. Eight measuring ranges from 0.3 to 1000 msec, full scale, are provided. The shortest measurable interval is said to be 0.005 msec, full-scale accuracy ± 2 percent. (Presin Co., Dept. 34)

■ SPECTROGRAPH of large aperture uses a 4-by-4-in. plane grating, ruled 15,000 or 30,000 grooves per inch, as the dispersion element. The instrument covers a 2500-Å region with dispersion of 20Å/mm at aperture $f/6.3$ in the first order. The optical system is a slightly asymmetrical Czerny-Turner mounting. The spectrum is recorded on 5-by-7 in. plate or film. Slit size is adjustable from 0 to 200 μ . Shutter speeds up to 1/400 sec are provided. (Jarrell-Ash Co., Dept. 36)


JOSHUA STERN
National Bureau of Standards,
Washington, D.C.

Downloaded from http://science.sciencemag.org/ on April 22, 2019

Try UNITRON'S new POLARIZING MICROSCOPE

The Model MPS is a precision instrument designed to meet the exacting requirements of science, education and industry. Ideal for work in chemistry, crystallography, biology, as well as the technology of paper, glass, textiles and petroleum.

- Eyepieces: 5X (micro), 10X (cross.)
- Objectives: 4X, 10X, 40X, achromatic, strain-free, centerable
- Nosepiece: quick-change type
- Substage condenser: focusable, 3-lens, swing-out top mount, iris diaphragm
- Polaroid polarizer: rotatable 360°
- Polaroid analyzer: in sliding mount
- Bertrand lens: centerable
- Stage: 115mm diameter, revolves 360°, reads to 6" with vernier
- 2 Compensators: quarter-wave plate and first order red plate
- Focusing: both coarse and fine



\$269
fob Boston

FREE TEN-DAY TRIAL

Quantity prices on three or more
Accessory mechanical stage \$14.75

UNITRON

INSTRUMENT DIVISION OF UNITED SCIENTIFIC CO.
204-206 MILK STREET • BOSTON 9, MASS.

Please rush UNITRON'S Microscope Catalog

Name _____
Company _____
Address _____
City _____ State _____

NEW

ZOOGEOGRAPHY

Edited by CARL L. HUBBS

510 + x pp., 1958, \$12.00
AAAS members' cash orders \$10.50
115 illus., 13 tables, author index
22-page index of scientific names

Dedicated to the Memory
of Charles Darwin and
Alfred Russell Wallace
AAAS Symposium Volume No. 51

Combines two Symposia:

The Origins and Affinities of the
Land and Freshwater Fauna
of Western North America

Geographic Distribution of
Contemporary Organisms

In England:
Bailey Bros. & Swinfen, Ltd.,
Hyde House, West Central Street,
London W.C.1

AAAS

1515 Mass. Ave., NW,
Washington 5, D.C.

Science

New Products

JOSHUA STERN

Science **130** (3375), 576-578.
DOI: 10.1126/science.130.3375.576

ARTICLE TOOLS

<http://science.sciencemag.org/content/130/3375/576.citation>

PERMISSIONS

<http://www.sciencemag.org/help/reprints-and-permissions>

Use of this article is subject to the [Terms of Service](#)

Science (print ISSN 0036-8075; online ISSN 1095-9203) is published by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. 2017 © The Authors, some rights reserved; exclusive licensee American Association for the Advancement of Science. No claim to original U.S. Government Works. The title *Science* is a registered trademark of AAAS.