

SCIENCE

A WEEKLY JOURNAL DEVOTED TO THE ADVANCEMENT OF SCIENCE, PUBLISHING THE
OFFICIAL NOTICES AND PROCEEDINGS OF THE AMERICAN ASSOCIATION
FOR THE ADVANCEMENT OF SCIENCE.

EDITORIAL COMMITTEE: S. NEWCOMB, Mathematics; R. S. WOODWARD, Mechanics; E. C. PICKERING, Astronomy; T. C. MENDENHALL, Physics; R. H. THURSTON, Engineering; IRA REMSEN, Chemistry; CHARLES D. WALCOTT, Geology; W. M. DAVIS, Physiography; HENRY F. OSBORN, Paleontology; W. K. BROOKS, C. HART MERRIAM, Zoology; S. H. SCUDDER, Entomology; C. E. BESSEY, N. L. BRITTON, Botany; C. S. MINOT, Embryology, Histology; H. P. BOWDITCH, Physiology; J. S. BILLINGS, Hygiene; WILLIAM H. WELCH, Pathology; J. McKEEN CATTELL, Psychology; J. W. POWELL, Anthropology.

FRIDAY, JULY 18, 1902.

THE GROUP-VELOCITY AND THE WAVE-VELOCITY OF LIGHT.*

CONTENTS:

<i>The American Association for the Advancement of Science:—</i>	
<i>The Group-velocity and the Wave-velocity of Light:</i> PROFESSOR D. B. BRACE.....	81
<i>Prehistoric Porto Rico:</i> DR. J. WALTER FEWKES	94
<i>Remarks of the Retiring President and of the President-elect.....</i>	109
<i>Report of the Permanent Secretary.....</i>	110
<i>Scientific Books:—</i>	
<i>Ortmann's Reports of the Princeton University Expedition to Patagonia. Sacharoff's Das Eisen als das thätige Prinzip der Enzyme und der lebendigen Substanz:</i> PROFESSOR LAFAYETTE B. MENDEL. <i>Dickson's Linear Groups with an Exposition of the Galois Field Theory:</i> DR. G. A. MILLER... ..	111
<i>Scientific Journals and Articles.....</i>	114
<i>Discussion and Correspondence:—</i>	
<i>A Method of Fixing the Type in Certain Genera</i>	114
<i>Shorter Articles:—</i>	
<i>The Prevention of Molds on Cigars:</i> RODNEY H. TRUE.....	115
<i>The Graduate School of Agriculture.....</i>	116
<i>Scientific Notes and News.....</i>	116
<i>University and Educational News.....</i>	120

ALTHOUGH the determination of the important constant of nature—the velocity of light—has occupied the attention of scientists from the time of Galileo, and while astronomical and terrestrial methods have been so carefully refined that individual observers have obtained values differing by less than one part in 3,000, it is a significant fact that no terrestrial method thus far used gives the absolute velocity of light under all conditions. If a group of periodic disturbances are radiated out into any medium the velocity of the individual elements will in general be different from that of the mean of the group. Only in the one instance, the propagation in vacuo, is it likely that these two velocities are the same; and here physical methods, thus far, have not put the question to a test. In the case of ponderable media important data are to be expected. The astronomical method used by Römer in 1675 and founded on the observation of the eclipse of Jupiter's satellites gives the so-called group-velocity of light in vacuo. The observation of the fixed stars discovered by Bradley in 1727 gives the wave-

* Address of the retiring President and Chairman of Section B—Physics—of the American Association for the Advancement of Science, Pittsburgh meeting, June 28 to July 3, 1902.

MSS. intended for publication and books, etc., intended for review should be sent to the responsible editor, Professor J. McKeen Cattell, Garrison-on-Hudson, N. Y.