

the magnetic field protocol described above (Fig. 3, J and M, "ON") (Student's *t* test, $P < 0.02$). In these mice, we also found evidence of field-evoked up-regulation of c-fos in the medial prefrontal cortex (mPFC) (Fig. 3, K and N, "ON") (Student's *t* test, $P < 0.02$) and nucleus accumbens (NAc) (Fig. 3, L and O, "ON") (Student's *t* test, $P < 0.002$), which are known to receive excitatory inputs from VTA neurons (26, 29). In the absence of stimulation, neurons in the VTA near the MNP injection site and the neurons in the mPFC and NAc did not exhibit increased c-fos expression (Fig. 3, J to O, "OFF").

We compared the biocompatibility of the MNP injection with a similarly sized stainless steel implant (fig. S9). The interface between the MNP injection and the tissue exhibited significantly lower glial activation and macrophage accumulation and higher proportion of neurons, as compared with that of the steel implant 1 week and 1 month after surgery (fig. S9, A to F). The improved tissue compatibility can likely be attributed to the mechanically pliable nature of the MNP injection and sequestration via endocytosis (12, 13). No difference in neuronal or glial density was observed between brain tissue of stimulated and unstimulated mice, suggesting that the rapidly dissipated magnetothermal cycles cause minimal thermal damage to the surrounding tissue (fig. S9G).

We demonstrated widespread and repeatable control of cellular signaling in nonexcitable and electroactive cells using wireless magnetothermal stimulation *in vitro* and *in vivo*. Finer control over stimulation intensity to facilitate applications of this approach to problems in systems neuroscience can be achieved by further reducing the latency between field onset and evoked neural firing by developing MNPs with high specific loss powers (30) and by introducing heat-sensitive ion channels with lower thermal thresholds (31). Mechanosensitive potassium and chloride channels may serve as potential mediators of magnetothermal inhibition (32). Although demonstrated for chronic stimulation of targeted neural circuits, this magnetothermal paradigm may be formulated to trigger thermosensitive ion channels endogenously expressed in the peripheral nervous system (17), enabling wireless control in deep tissue regions that currently pose substantial challenges to bioelectronic medicines (33).

REFERENCES AND NOTES

1. J. S. Perlmutter, J. W. Mink, *Annu. Rev. Neurosci.* **29**, 229–257 (2006).
2. Y. Tufail *et al.*, *Neuron* **66**, 681–694 (2010).
3. V. Walsh, A. Cowey, *Nat. Rev. Neurosci.* **1**, 73–80 (2000).
4. E. S. Boyden, F. Zhang, E. Bamberg, G. Nagel, K. Deisseroth, *Nat. Neurosci.* **8**, 1263–1268 (2005).
5. J. H. Young, M. T. Wang, I. A. Brezovich, *Electron. Lett.* **16**, 358–359 (1980).
6. J. Carrey, B. Mehdaoui, M. Respaud, *J. Appl. Phys.* **109**, 083917–083921 (2011).
7. Q. A. Pankhurst, J. Connolly, S. K. Jones, J. Dobson, *J. Phys. D Appl. Phys.* **36**, R167–R181 (2003).
8. H. Huang, S. Delikanli, H. Zeng, D. M. Ferkey, A. Pralle, *Nat. Nanotechnol.* **5**, 602–606 (2010).
9. S. A. Stanley *et al.*, *Science* **336**, 604–608 (2012).
10. S. Tenzer *et al.*, *Nat. Nanotechnol.* **8**, 772–781 (2013).
11. A. Salvati *et al.*, *Nat. Nanotechnol.* **8**, 137–143 (2013).
12. F. K. H. van Landeghem *et al.*, *Biomaterials* **30**, 52–57 (2009).
13. C. Petters, E. Irrsack, M. Koch, R. Dringen, *Neurochem. Res.* **39**, 1648–1660 (2014).
14. R. Chen, M. G. Christiansen, P. Anikeeva, *ACS Nano* **7**, 8990–9000 (2013).
15. J. Park *et al.*, *Nat. Mater.* **3**, 891–895 (2004).
16. J. Xie, C. Xu, N. Kohler, Y. Hou, S. Sun, *Adv. Mater.* **19**, 3163–3166 (2007).
17. A. I. Basbaum, D. M. Bautista, G. Scherrer, D. Julius, *Cell* **139**, 267–284 (2009).
18. L. Naldini, U. Blömer, F. H. Gage, D. Trono, I. M. Verma, *Proc. Natl. Acad. Sci. U.S.A.* **93**, 11382–11388 (1996).
19. J. H. Kim *et al.*, *PLOS ONE* **6**, e18556 (2011).
20. E. Asante-Appiah, A. M. Skalka, *Antiviral Res.* **36**, 139–156 (1997).
21. T. W. Chen *et al.*, *Nature* **499**, 295–300 (2013).
22. M. G. Shapiro, K. Homma, S. Villarreal, C. P. Richter, F. Bezanilla, *Nat. Commun.* **3**, 736 (2012).
23. B. F. Grewe, D. Langer, H. Kasper, B. M. Kampa, F. Helmchen, *Nat. Methods* **7**, 399–405 (2010).
24. J. R. Lepock, *Int. J. Hyperthermia* **19**, 252–266 (2003).
25. D. J. Cavanaugh *et al.*, *J. Neurosci.* **31**, 5067–5077 (2011).
26. L. W. Swanson, *Brain Res. Bull.* **9**, 321–353 (1982).
27. K. M. Tye *et al.*, *Nature* **493**, 537–541 (2013).
28. S. P. Hunt, A. Pini, G. Evan, *Nature* **328**, 632–634 (1987).
29. L. A. Gunaydin *et al.*, *Cell* **157**, 1535–1551 (2014).
30. J. H. Lee *et al.*, *Nat. Nanotechnol.* **6**, 418–422 (2011).
31. E. O. Gracheva *et al.*, *Nature* **464**, 1006–1011 (2010).
32. S. Yoo, S. Hong, Y. Choi, J. H. Park, Y. Nam, *ACS Nano* **8**, 8040–8049 (2014).
33. K. Birmingham *et al.*, *Nat. Rev. Drug Discov.* **13**, 399–400 (2014).

ACKNOWLEDGMENTS

We thank K. Deisseroth, D. Julius, and F. Zheng for generous gifts of plasmids and cell lines; C. Ramakrishnan for molecular biology advice; the GENIE project and Howard Hughes Medical Institute Janelia Farm for AAV9-*hSyn::GCaMP6s* supplied by the University of Pennsylvania vector core; and D. Irvine and A. Jasanoff for their thoughtful comments on our manuscript. This work was funded in part by a Defense Advanced Research Projects Agency Young Faculty Award (D13AP00043), the McGovern Institute for Brain Research, and the NSF CAREER award (CBET-1253890). This work made use of the MIT Materials Research Science and Engineering Center Shared Experimental Facilities under award DMR-0819762. R.C. and M.G.C. are supported by the NSF Graduate Research Fellowship Program and National Defense Science and Engineering Graduate fellowships, respectively. Methods of analysis and additional data are included in the supplementary materials. P.A., M.G.C., and R.C. have filed a U.S. and international patent (application PCT/US14/67866) describing magnetically multiplexed heating of volumes, which is peripherally related to this work.

SUPPLEMENTARY MATERIALS

www.sciencemag.org/content/347/6229/1477/suppl/DC1
Materials and Methods
Supplementary Text
Figs. S1 to S9
Tables S1 and S2
References (34–42)
Movie S1

29 September 2014; accepted 29 January 2015
Published online 12 March 2015;
10.1126/science.1261821

SOCIAL SCIENCE

Intergenerational transmission of child abuse and neglect: Real or detection bias?

Cathy Spatz Widom,^{1*} Sally J. Czaja,¹ Kimberly A. DuMont²

The literature has been contradictory regarding whether parents who were abused as children have a greater tendency to abuse their own children. A prospective 30-year follow-up study interviewed individuals with documented histories of childhood abuse and neglect and matched comparisons and a subset of their children. The study assessed maltreatment based on child protective service (CPS) agency records and reports by parents, nonparents, and offspring. The extent of the intergenerational transmission of abuse and neglect depended in large part on the source of the information used. Individuals with histories of childhood abuse and neglect have higher rates of being reported to CPS for child maltreatment but do not self-report more physical and sexual abuse than matched comparisons. Offspring of parents with histories of childhood abuse and neglect are more likely to report sexual abuse and neglect and that CPS was concerned about them at some point in their lives. The strongest evidence for the intergenerational transmission of maltreatment indicates that offspring are at risk for childhood neglect and sexual abuse, but detection or surveillance bias may account for the greater likelihood of CPS reports.

For years, the notion that abused children grow up to become abusive parents has been widely accepted in the field of child abuse and neglect (1–3). However, because many other factors in a person's life (such as natural abilities, biological or genetic predispositions, or intervening relationships) may mediate the effects of child abuse and neglect, assessing the intergenerational transmission of abuse and

neglect is challenging. Although some studies have provided empirical support for the intergenerational transmission of child abuse (4–10),

¹Psychology Department, John Jay College of Criminal Justice, and Graduate Center, City University of New York, New York, NY, USA. ²William T. Grant Foundation, New York, NY, USA.

*Corresponding author. E-mail: cwidom@jjay.cuny.edu

Table 1. Child protective service agency records by childhood history of abuse or neglect. The percentages reported here are based on individuals known to have lived within the original state at some point in their lives ($N = 1147$; see the supplementary materials for more details).

Numbers for the specific types of abuse and neglect add up to more than the total for the abuse/neglect group overall because there is a small percentage of the subjects (10%) who have more than one type of abuse or neglect.

Child protective service report	Type of abuse and/or neglect experienced in childhood by G2 participants									
	Comparison group ($N = 497$)		Abuse/Neglect ($N = 650$)		Physical abuse ($N = 108$)		Sexual abuse ($N = 104$)		Neglect ($N = 511$)	
	%	%	AOR (95% CI)	%	AOR (95% CI)	%	AOR (95% CI)	%	AOR (95% CI)	
Any maltreatment	11.7	21.4	2.01 (1.42–2.85)***	18.5	2.03 (1.10–3.73)*	26.0	3.43 (1.86–6.34)***	21.1	1.88 (1.30–2.70)***	
Physical abuse	5.4	6.9	1.26 (0.75–2.12)	5.6	1.11 (0.40–3.04)	4.8	1.13 (0.39–3.23)	7.4	1.30 (0.76–2.23)	
Sexual abuse	3.4	7.7	2.31 (1.24–4.30)**	7.4	3.90 (1.39–10.92)**	10.6	4.49 (1.64–12.26)***	7.8	2.20 (1.15–4.19)*	
Neglect	9.5	18.0	2.06 (1.42–3.01)***	13.9	1.89 (0.96–3.69)	22.1	3.40 (1.75–6.58)***	17.8	1.96 (1.32–2.91)***	
Failure to provide	3.6	9.4	2.53 (1.45–4.39)***	7.4	2.56 (0.99–6.59)*	12.5	4.07 (1.63–10.16)***	8.8	2.25 (1.26–4.02)**	
Lack of supervision	8.2	14.2	1.76 (1.18–2.65)**	9.3	1.37 (0.62–3.00)	15.4	2.55 (1.20–5.44)*	14.7	1.79 (1.17–2.73)**	

* $P < 0.05$; ** $P < 0.01$; *** $P < 0.001$

other researchers have found no evidence for transmission (11–14). Critical reviews have called attention to serious methodological limitations of research examining this question (15–20). To date, studies are primarily cross-sectional snapshots, rather than prospective longitudinal studies in which children are followed up and assessed in adulthood. Studies that work backward from a population of abusive parents and inquire about their childhood histories may lead to an inflated rate of transmission because individuals who were abused but did not become abusive as a parent are not represented (8, 18, 20). Finally, theoretical explanations (21, 22) and empirical research have focused on the transmission of physical abuse, largely ignoring the role of childhood sexual abuse and neglect in the intergenerational transmission of child maltreatment.

The present study was designed to overcome many of the methodological limitations of previous work. We used a prospective cohorts design (23, 24), in which both groups were free of the “outcome” (i.e., intergenerational transmission) at the time they were selected for the study. We used court-substantiated cases and thus avoided ambiguity and potential biases associated with retrospective recall (19, 20). We included a comparison group matched as closely as possible for age, sex, race, and approximate social class because it is theoretically plausible that any relationship between child abuse or neglect and later outcomes is confounded or explained by social class differences. We ascertained outcomes using multiple sources of information (parent and non-parent self-reports, offspring report, and child protection agency records) and multiple measures from standardized instruments. Details of methods and materials are available as supplementary materials on Science Online. Although

our primary focus was on the parent’s behavior toward their biological offspring, we also included an assessment of abuse of other children (nonoffspring). We tested whether individuals who have documented histories of abuse or neglect in childhood continue the intergenerational transmission of child abuse toward their own offspring or someone else’s children. We also examined whether different types of child maltreatment (physical abuse, sexual abuse, and neglect) are passed on from one generation to the next.

The simplest model of intergenerational transmission is illustrated by the direct relationship across generations: G1 → G2 → G3. The G1 individuals (the first generation) are the parents of the G2 individuals (second generation), who have been participants in our longitudinal study and are now adults. G2 individuals represent those with documented histories of childhood abuse or neglect and those who represent the comparison group without documented histories of abuse or neglect. The offspring of the G2 individuals are the G3, or third generation.

The original sample was composed of 908 G2 children with documented cases of abuse and neglect during the years 1967 through 1971 in a Midwestern county area and a matched comparison group of children ($N = 667$) from the same neighborhoods. The study was begun as an archival records check with a search of criminal histories for both groups (25). The first in-person interviews were conducted from 1989 to 1995, when G2 participants were on average 29 years old ($N = 1196$). Since that time, three additional interviews have been conducted with these participants (see table S1 for a chronology of the study and the supplementary materials and methods for details of the design of the study and participants). For the purpose of assessing

the intergenerational transmission of abuse and neglect, we conducted interviews in 2009 and 2010 with 649 of the original G2 participants (mean age 47.0) and a subset of G3 offspring ($N = 697$, mean age 22.8). During 2011 to 2013, child protective service (CPS) agency records in the original state were searched for the entire sample and their children, and information was extracted and coded (26). Details of attrition and selection bias are provided in the supplementary materials. Despite attrition (see table S2), multiple analyses indicated that child maltreatment status was not a significant factor in nonparticipation in the last wave of the study. There was no difference between the abuse/neglect group and the comparison group in the prevalence of having children (at the first interview, 72.4% of the comparison group and 72.6% of the abuse/neglect group reported having at least one child; $P = 0.94$).

Because there is no single gold standard to assess child maltreatment, we used multiple sources of information, multiple measures to assess different types of maltreatment, and multiple time points when information was collected. Table 1 shows the percentage of G2 individuals in the abuse/neglect and comparison groups who have CPS agency records for any child maltreatment and specific types of physical abuse, sexual abuse, and neglect. G2 adults with documented histories of childhood abuse or neglect are twice as likely to be reported to CPS because their child was maltreated compared with matched comparisons. Overall, about a fifth of G2 individuals (21.4%) with documented histories of childhood abuse or neglect were reported to CPS agencies compared with 11.7% of matched comparisons [adjusted odds ratio (AOR) = 2.01; 95% confidence interval (CI) = 1.42 to 2.85; $P < 0.001$, controlling for G2 age, sex, and race, and childhood

Table 2. G2 parent and nonparent self-reports of perpetration of child abuse and neglect. The reference group is the Comparison group. CTS, Conflict Tactics Scale, severe/very severe violence; CEQ, Childhood Experiences Questionnaire; NA, not applicable. For reports of physical abuse, the unadjusted

ORs are 1.14, 1.00, 1.33, and 1.14 for nonparent G2s with histories of abuse/neglect overall, physical abuse, sexual abuse, and neglect, respectively. Due to the effects of control variables and small sample sizes here, the AORs appear inconsistent with raw percentages for G2 nonparents' reports of physical abuse.

	Comparison group		Abuse/Neglect		Physical abuse		Sexual abuse		Neglect	
<i>G2 parent self-reports</i>										
N	257		304		42		49		244	
Type of abuse or neglect reported	%	%	AOR (95% CI)	%	AOR (95% CI)	%	AOR (95% CI)	%	AOR (95% CI)	%
Physical abuse (CTS)	23.9	26.4	1.01 (0.67–1.54)	31.7	1.49 (0.67–3.29)	31.3	1.14 (0.55–2.37)	24.9	0.95 (0.61–1.48)	
Sexual abuse	1.9	3.3	1.69 (0.56–5.08)	2.4	1.48 (0.15–14.63)	0.0	NA	3.7	1.75 (0.57–58.40)	
Neglect (CTS)	51.4	53.2	1.02 (0.72–1.45)	53.7	1.08 (0.53–2.17)	47.9	0.83 (0.42–1.64)	54.3	1.05 (0.72–1.52)	
Neglect (CEQ)	29.0	41.7	1.83 (1.25–2.67)***	39.0	1.52 (0.73–3.20)	34.0	1.65 (0.79–3.42)	42.7	1.92 (1.29–2.86)***	
<i>G2 nonparent self-reports</i>										
N	34		54		12		5		42	
Type of abuse or neglect reported	%	%	AOR (95% CI)	%	AOR (95% CI)	%	AOR (95% CI)	%	AOR (95% CI)	%
Physical abuse	26.5	31.5	1.03 (0.37–2.87)	25.0	1.68 (0.29–9.69)	40.0	0.85 (0.04–18.68)	31.0	0.86 (0.28–2.63)	
Sexual abuse	2.9	1.9	0.42 (0.01–21.27)	0.0	NA	0.0	NA	2.4	NA	

*P < 0.05; **P < 0.01; ***P < 0.001

Table 3. G2 previous self-reports of trouble in relation to parenting. Excludes parents who did not report having children.

	Comparison group		Abuse/Neglect		Physical abuse		Sexual abuse		Neglect	
	%	%	AOR (95% CI)	%	AOR (95% CI)	%	AOR (95% CI)	%	AOR (95% CI)	
<i>Mean age 29.2</i>										
During past year, child was placed in custody of courts	1.6	4.7	3.85 (1.44–10.29)**	2.6	2.76 (0.48–15.83)	2.6	3.03 (0.48–19.13)	5.7	4.53 (1.68–12.21)***	
N	373	487		78		77		384		
<i>Mean age 40.5</i>										
During past year, child was placed in custody of courts	1.3	4.8	3.77 (1.25–11.35)*	1.6	1.19 (0.12–11.80)	3.8	3.02 (0.46–19.64)	5.6	4.29 (1.46–13.46)**	
N	298	377		61		52		304		
<i>Mean age 47.1</i>										
During past year, child was placed in custody of courts	1.2	2.5	3.73 (0.76–18.33)	2.6	NA	0	NA	2.6	3.62 (0.73–18.02)	
N	243	282		38		45		228		

*P < 0.05; **P < 0.01; ***P < 0.001

neighborhood advantage and disadvantage]. These rates vary by type of child maltreatment being perpetrated, with increased risk for sexual abuse (AOR = 2.31, 95% CI = 1.24 to 4.30, P < 0.001) and neglect (AOR = 2.06; 95% CI = 1.42 to 3.01; P < 0.001) but not for physical abuse (AOR = 1.26, 95% CI = 0.75 to 2.12, not significant).

The intergenerational transmission hypothesis predicts that experiencing physical abuse in childhood will lead to increased risk for physi-

cally abusing one's own children. Table 1 also presents our results showing the extent to which the type of maltreatment experienced as a child by G2 predicts a differential likelihood of maltreating a child. G2 individuals with any childhood abuse and neglect were reported to CPS more often than comparisons for any maltreatment, sexual abuse, and neglect but not for physical abuse. In sum, these results indicate that G2 adults with histories of childhood abuse and

neglect are at increased risk for being reported to CPS agencies for sexual abuse and neglect but not for physical abuse, compared with matched comparison group subjects.

In addition to any involvement with CPS, we examined the number of reports filed against a G2 individual and the chronicity of reports. Of those G2 with an official CPS report (N = 213), 50.2% (106) have one report, 22.3% (47) have two reports, 10.0% (21) have three reports, and 17.5%

Table 4. G3 offspring reports of experiencing child abuse and neglect. Comparisons are to the controls. LONGSCAN, LS; LS 0–11 refers to the time period from ages 0 to 11; LS 12–17 refers to ages 12 to 17; AH, Adolescent Health; LTVH, Lifetime Trauma and Victimization History; CTS, Conflict Tactics Scale; CEQ, Childhood Experiences Questionnaire.

G3 offspring report of abuse or neglect	Comparison group (N = 209) %	G2 parent histories				Neglect (N = 197) %	AOR (95% CI)		
		Abuse/Neglect (N = 245) %	AOR (95% CI)	Physical abuse (N = 35) %	AOR (95% CI)			Sexual abuse (N = 37) %	AOR (95% CI)
Physical abuse (LS 0–11)	74.6	67.4	0.75 (0.49–1.16)	62.9	0.88 (0.38–2.01)	64.9	0.73 (0.31–1.71)	68.0	0.75 (0.47–1.18)
Physical abuse (LS 12–17)	49.8	54.5	1.29 (0.87–1.92)	51.4	1.37 (0.62–3.02)	45.9	1.13 (0.51–2.53)	55.2	1.34 (0.88–2.04)
Physical abuse (AH)	20.7	26.9	1.48 (0.93–2.36)	25.7	1.64 (0.68–3.95)	18.9	1.01 (0.39–2.63)	27.8	1.55 (0.95–2.52)
Physical abuse (LTVH)	22.9	27.1	1.25 (0.80–1.97)	32.4	1.65 (0.72–3.76)	27.0	1.16 (0.50–2.72)	26.0	1.23 (0.76–1.98)
Sexual abuse (LS 0–11)	15.8	24.1	1.46 (0.89–2.38)	25.7	2.03 (0.83–4.95)	24.3	1.54 (0.60–3.91)	24.4	1.40 (0.83–2.36)
Sexual abuse (LS 12–17)	12.9	16.3	1.06 (0.61–1.84)	17.1	1.76 (0.63–4.90)	10.8	0.50 (0.14–1.82)	17.3	1.09 (0.61–1.94)
Sexual abuse (AH)	4.0	13.0	3.03 (1.34–6.87)**	11.4	3.75 (0.92–15.34)	5.7	1.70 (0.29–9.92)	13.6	3.11 (1.34–7.21)**
Sexual abuse (LTVH)	14.7	22.9	1.55 (0.92–2.60)	23.3	1.82 (0.69–4.83)	22.2	1.45 (0.54–3.87)	23.1	1.51 (0.88–2.60)
Neglect (CTS)	59.0	69.0	1.58 (1.03–2.40)*	76.5	2.65 (1.10–6.39)*	75.7	3.07 (1.15–8.17)*	67.4	1.44 (0.92–2.26)
Neglect (AH)	59.8	65.0	1.42 (0.95–2.13)	62.9	1.55 (0.69–3.47)	70.3	1.81 (0.77–4.25)	64.6	1.38 (0.90–2.11)
Neglect (CEQ)	40.1	48.1	1.51 (1.0–2.30)*	34.4	0.77 (0.33–1.80)	47.2	1.51 (0.69–3.31)	47.6	1.49 (0.96–2.33)
Was CPS ever concerned?	7.4	16.7	2.51 (1.31–4.83)**	20.6	3.83 (1.32–11.16)**	18.9	4.76 (1.48–15.34)**	15.7	2.27 (1.14–4.52)*
Any of the above	90.0	90.2	1.13 (0.59–2.15)	91.4	1.54 (0.42–5.75)	89.2	1.12 (0.29–4.34)	90.9	1.23 (0.61–2.45)

* $P < 0.05$; ** $P < 0.01$ *** $P < 0.001$

(37) have four or more reports. There were no differences between G2 individuals with histories of abuse and/or neglect and comparison group members in the chronicity or mean number of reports (abuse/neglect $M = 2.64$, $SD = 2.96$; comparison $M = 2.37$, $SD = 2.35$).

Because official agency records represent only a portion of child maltreatment that occurs—that is, only that which comes to the attention of the authorities—researchers depend heavily on self-reports by parents or other caregiving adults for information about whether they have abused or neglected their children or someone else's children. The top of Table 2 shows our results based on G2 parents' self-reports of perpetrating physical and sexual abuse and neglect. In contrast to the results in Table 1, Table 2 shows that G2 individuals with documented histories were not more likely to report that they had physically or sexually abused their children. G2 parents with histories of childhood abuse/neglect (and those with histories of neglect) reported that they had engaged in behaviors that are considered neglectful more often than comparison parents. This increased risk for neglect (based on one of the two measures used) was found for the maltreated

group overall (41.7% versus 29.0%, respectively; $AOR = 1.83$, $P < 0.001$) and those with histories of neglect (42.7% versus 29.0%, $AOR = 1.92$, $P < 0.001$). The bottom part of Table 2 shows that there were no significant differences in the extent of physical and sexual abuse reported by G2 nonparents (abuse/neglect versus comparisons).

During earlier waves of the study, we asked G2 participants whether they had experienced a variety of stressful life events during the past year. This information was collected during interviews when the G2 abused/neglected individuals and matched comparisons were mean age 29.2 (1989 to 1995), mean age 40.5 (2003 to 2005), and mean age 47.1 (2009 to 2010). Table 3 shows that at approximate age 29, almost 5% of G2 individuals with documented histories of childhood abuse and/or neglect ($AOR = 3.85$, 95% CI = 1.44 to 10.29, $P < 0.01$) and 5.7% of G2 with histories of neglect ($AOR = 4.53$, 95% CI = 1.68 to 12.21, $P < 0.001$) reported having had a child placed in the custody of the courts during the past year, compared with 1.6% of the comparisons.

Approximately 12 years later, G2 adults with histories of abuse/neglect overall and neglect specifically were again more likely to report having a

child placed in custody of the courts within the past year (4.8%, $AOR = 3.77$, 95% CI = 1.25 to 13.5, $P < 0.05$, and 5.6%, $AOR = 4.29$, 95% CI = 1.46 to 13.46, $P < 0.01$, respectively), compared with 1.3% of the controls. In the last interview (mean age 47), the G2 groups did not differ significantly, although twice as many G2 individuals with histories of abuse/neglect and neglect in particular reported having a child placed in the custody of the courts.

Thus far, the information presented has focused on the G2 parent generation. Because one might be skeptical of abusive parents' willingness to report on their own behavior, it was important to have an additional assessment based on reports by G3 offspring of these individuals, along with official CPS reports. We used multiple self-report measures of physical abuse, sexual abuse, and neglect (see the supplementary materials for more detail) to ascertain whether the G3 offspring of individuals with documented histories of childhood abuse and neglect compared to offspring of nonmaltreated comparisons reported having been abused or neglected (see Table 4). G3 offspring of G2 parents with any history of abuse and/or neglect and neglect were significantly more likely to report having been sexually abused on one




Fig. 1. Rates of child protective system detection among G2 parents who report engaging in, and G3 offspring who report being the victim of, child abuse and/or neglect.

of three measures, compared with reports by G3 offspring of parents without such histories. G3 offspring of G2 parents with histories of abuse/neglect overall and histories of physical and sexual abuse reported higher rates of being neglected than controls.

The bottom of Table 4 shows that more than twice as many of the G3 offspring of previously maltreated G2 individuals answered affirmatively to a question about whether “CPS was ever concerned about you” (16.7% of the G3 offspring of G2 abused/neglected individuals compared with 7.4% of the comparison group offspring, AOR = 2.51, 95% CI = 1.31 to 4.83, $P < 0.01$). G3 offspring of G2 parents with all three types of maltreatment were also more likely to report that CPS was concerned about them (G3 offspring of G2 parents with histories of physical abuse = 20.6%, sexual abuse = 18.9%, and neglect = 15.7% compared with 7.4% of the comparison group offspring).

Finally, because of concerns about a possible detection or surveillance bias that may occur with increased surveillance of families involved with CPS, we also examined the extent to which participants (G2 and G3) who self-report child maltreatment have a CPS report. Presumably, because these individuals have reported that they either engaged in child maltreatment (G2 parents) or were the victim of child maltreatment (G3 offspring), we should expect approximately equal rates of official CPS reports, even though the concordance between self-reports and CPS reports is expected to be low (27, 28). Figure 1 shows that the detection rates for maltreatment are not equivalent across the groups. G2 parents with documented histories of childhood abuse and neglect are two and a half times more likely to have a CPS report than comparison parents (30.9% versus 15.0%, AOR = 2.53, 95% CI = 1.53 to 4.13, $P = 0.000$), suggesting a detection or surveillance bias. Similarly, among the G3 offspring who reported being abused or neglected, 29.3% of those whose parents had documented histories

of childhood abuse or neglect were detected (that is, had an official CPS report), compared with 15.4% of the comparison group (whose parents did not have documented histories of childhood abuse or neglect), with an AOR = 2.28, 95% CI = 1.32 to 3.79, $P < 0.003$.

These findings suggest that our understanding of the intergenerational transmission of child abuse and neglect is more complex and challenging than expected. G2 parents with histories of childhood abuse or neglect are more likely to have G3 children who are reported to CPS agencies. Parents with histories of childhood abuse and neglect are more likely to report neglect of their offspring, but not physical or sexual abuse, compared to parents without documented histories of abuse and neglect. Offspring of parents with histories of childhood abuse and neglect are more likely to report being sexually abused and neglected. However, differences in these results make clear that the substance and extent of the intergenerational transmission of abuse and neglect depend in large part on the source of the information used to assess maltreatment. Having only one source of information may lead to incorrect conclusions.

The strongest evidence for the intergenerational transmission of maltreatment indicates that offspring are at risk for neglect and sexual abuse. Contrary to most theories, we found little evidence of the intergenerational transmission of physical abuse. Our findings were consistent across sources (G2 parent self-reports, G3 offspring reports, and CPS reports) that individuals with histories of child maltreatment were not at increased risk to physically abuse their children. Some have speculated that public education efforts to call attention to physical abuse and corporal punishment have had an effect on society and attitudes toward abuse (29) or, at a minimum, that these efforts have had an effect on willingness to report physical abuse. There is also trend data showing decreases in rates of

physical abuse in national statistics (30). On the other hand, given that we found an increased risk for sexual abuse and neglect, it is not immediately apparent why these types of child maltreatment would not be subject to the same societal changes or attitudes.

Although there are numerous strengths associated with this research, several caveats need to be kept in mind. G2 abuse and neglect cases in this study were identified through official records from 40 years ago and represent children whose cases were processed through the courts. Many cases are not reported and never come to the attention of the authorities. Also, the abuse/neglect cases and comparisons in this study are predominantly from lower socioeconomic strata, and the association between poverty and child maltreatment (31) may in part explain the high rates of maltreatment in the sample in general. Thus, these findings may not be generalizable to unreported cases of abuse and neglect and to children from middle- or upper-class families who were abused or neglected. However, these results suggest the need for expanded prevention services and parent support within low-income communities. These findings are also not generalizable to abused and neglected children who were adopted in infancy or early childhood, because these cases were excluded from the sample. It is also possible that these findings represent an underestimate of the extent of child abuse and neglect perpetration, given that we may have missed older or sealed cases or cases that were lost over time. Finally, we are not able to report on the extent to which genetic factors may contribute to the intergenerational transmission of child abuse and neglect.

It is not easy to determine causality for any human behavior, especially in the natural environment, where, in contrast to the laboratory, comparisons are not easy to achieve. However, results based on this study's cohort design lead us to conclude that further research is needed to understand the mechanisms underlying the intergenerational transmission of neglect and sexual abuse. These findings also have implications for child protective service systems that may be disproportionately scrutinizing families with past histories of child maltreatment, while overlooking instances of child abuse and neglect among families in the broader public. Research is needed to understand whether these families present more opportunities for intervention (e.g., are using more services) or whether they are truly more dysfunctional.

REFERENCES AND NOTES

1. J. Garbarino, J. G. Gilliam, *Understanding Abusive Families* (Lexington Books, Lexington, MA, 1980).
2. R. S. Kempe, C. H. Kempe, *Child Abuse* (Fontana, London, 1978).
3. B. F. Steele, C. B. Pollock, in *The Battered Child Syndrome*, R. Helfer, C. Kempe, Eds. (Univ. of Chicago Press, Chicago, 1968), pp. 103–145.
4. L. J. Berlin, K. Appleyard, K. A. Dodge, *Child Dev.* **82**, 162–176 (2011).
5. L. Dixon, K. Browne, C. Hamilton-Giachritsis, *J. Child Psychol. Psychiatry* **46**, 47–57 (2005).

6. B. Egeland, D. Jacobvitz, K. Papatola, in *Child Abuse and Neglect: Biosocial Dimensions*, R. J. Gelles, J. B. Lancaster, Eds. (Transaction Publishers, Piscataway, NJ, 1987), pp. 255–276.
7. R. S. Hunter, N. Kilstrom, *Am. J. Psychiatry* **136**, 1320–1322 (1979).
8. K. C. Pears, D. M. Capaldi, *Child Abuse Negl.* **25**, 1439–1461 (2001).
9. R. Thompson, *J. Trauma Pract.* **5**, 57–72 (2006).
10. T. P. Thornberry, *Criminology* **47**, 297–325 (2009).
11. W. A. Altermeier, S. O'Connor, K. B. Sherrod, D. Tucker, P. Vietze, *Child Abuse Negl.* **10**, 319–330 (1986).
12. L. M. Renner, K. S. Slack, *Child Abuse Negl.* **30**, 599–617 (2006).
13. P. Sidebotham, J. Golding, ALSPAC Study Team, Avon Longitudinal Study of Parents and Children, *Child Abuse Negl.* **25**, 1177–1200 (2001).
14. C. S. Widom, *Am. J. Orthopsychiatry* **59**, 355–367 (1989).
15. I. O. Ertem, J. M. Leventhal, S. Dobbs, *Lancet* **356**, 814–819 (2000).
16. S. D. Herzberger, *Am. Behav. Sci.* **33**, 529–545 (1990).
17. L. Falshaw, K. D. Browne, C. R. Hollin, *Aggress. Violent. Behav.* **1**, 389–404 (1996).
18. J. Kaufman, E. Zigler, *Am. J. Orthopsychiatry* **57**, 186–192 (1987).
19. T. P. Thornberry, K. E. Knight, P. J. Lovegrove, *Trauma Violence Abuse* **13**, 135–152 (2012).
20. C. S. Widom, *Psychol. Bull.* **106**, 3–28 (1989).
21. A. Bandura, *Aggression: A Social Learning Analysis* (Prentice-Hall, Englewood Cliffs, NJ, 1973).
22. K. A. Dodge, J. E. Bates, G. S. Pettit, *Science* **250**, 1678–1683 (1990).
23. J. M. Leventhal, *Child Abuse Negl.* **6**, 113–123 (1982).
24. F. Schulsinger, S. A. Mednick, J. Knop, *Longitudinal Research: Methods and Uses in Behavioral Sciences* (Martinus Nijhoff Publishers, Boston, 1981).
25. C. S. Widom, *Science* **244**, 160–166 (1989).
26. CPS is the unit within a government agency that responds to reports of child abuse or neglect. It typically falls within a state's division of social services or department of children and family services. CPS units were first established in 1974 in response to the Federal Child Abuse Prevention and Treatment Act (CAPTA: Public Law 93-247) that provided funding for federal and state child maltreatment research and services. CAPTA mandated all states to establish procedures to investigate suspected incidents of child maltreatment in order to prevent, identify, and treat child abuse and neglect. A report must be made when an individual knows or has reasonable cause to believe or suspect that a child has been subjected to abuse or neglect.
27. J. Brown, P. Cohen, J. G. Johnson, S. Salzinger, *Child Abuse Negl.* **22**, 1065–1078 (1998).
28. M. D. Everson et al., *Child Maltreat.* **13**, 14–26 (2008).
29. M. A. Straus, R. J. Gelles, *J. Marriage Fam.* **48**, 465–479 (1986).
30. D. Finkelhor, L. M. Jones, "Have sexual abuse and physical abuse declined since the 1990s?" (University of New Hampshire, Crimes Against Children Research Center, 2012).
31. A. J. Sedlak et al., *Fourth National Incidence Study of Child Abuse and Neglect (NIS-4): Report to Congress, Executive Summary* (Administration for Children and Families, U.S. Department of Health and Human Services, Washington, DC, 2010).

ACKNOWLEDGMENTS

This research was supported in part by grants from the Eunice Kennedy Shriver National Institute of Child Health and Human Development (HD40774), the National Institute of Justice (86-IJ-CX-0033 and 89-IJ-CX-0007), the National Institute of Mental Health (MH49467 and MH58386), the National Institute on Drug Abuse (DA17842 and DA10060), the National Institute on Alcohol Abuse and Alcoholism (AA09238 and AA11108), and the Doris Duke Charitable Foundation. The opinions, findings, and conclusions or recommendations expressed in this paper are those of the authors and do not necessarily reflect those of the funding agencies.

SUPPLEMENTARY MATERIALS

www.sciencemag.org/content/347/6229/1480/suppl/DC1
Materials and Methods
Tables S1 to S4
References (32–52)

12 August 2014; accepted 18 February 2015
10.1126/science.1259917

SNARE PROTEINS

Spring-loaded unraveling of a single SNARE complex by NSF in one round of ATP turnover

Je-Kyung Ryu,^{1,2*} Duyoung Min,^{1,2*} Sang-Hyun Rah,^{1,2*} Soo Jin Kim,³ Yongsoo Park,⁴ Haesoo Kim,³ Changbong Hyeon,⁵ Ho Min Kim,³ Reinhard Jahn,^{4,†} Tae-Young Yoon^{1,2,†}

During intracellular membrane trafficking, *N*-ethylmaleimide-sensitive factor (NSF) and α -soluble NSF attachment protein (α -SNAP) disassemble the soluble NSF attachment protein receptor (SNARE) complex for recycling of the SNARE proteins. The molecular mechanism by which NSF disassembles the SNARE complex is largely unknown. Using single-molecule fluorescence spectroscopy and magnetic tweezers, we found that NSF disassembled a single SNARE complex in only one round of adenosine triphosphate (ATP) turnover. Upon ATP cleavage, the NSF hexamer developed internal tension with dissociation of phosphate ions. After latent time measuring tens of seconds, NSF released the built-up tension in a burst within 20 milliseconds, resulting in disassembly followed by immediate release of the SNARE proteins. Thus, NSF appears to use a "spring-loaded" mechanism to couple ATP hydrolysis and unfolding of substrate proteins.

Soluble *N*-ethylmaleimide-sensitive factor (NSF) attachment protein receptor (SNARE) proteins are the essential molecular machinery for intracellular membrane fusion in eukaryotic cells (*1*). Synaptic exocytosis is among the best studied, in which synaptic vesicle-associated VAMP2 engages with syntaxin-1A and SNAP-25 on the presynaptic membrane to form the neuronal SNARE complex (*2, 3*). Although the formed SNARE complex is very stable after synaptic vesicle fusion (*4–6*), the complex must be disassembled for reuse of the SNARE proteins, requiring a specialized molecular machinery, consisting of NSF and α -soluble NSF attachment protein (α -SNAP) (*7–12*).

NSF belongs to the type II adenosine triphosphatase associated with various cellular activities (AAA+) family, which assembles into a homohexamer (*13–15*). Despite the fundamental role of NSF in synaptic transmission (*7, 9, 16*), surprisingly little is known about how its adenosine triphosphate (ATP) hydrolysis cycle is coupled to disassembly of the SNARE complex. The NSF hexamer may disassemble a SNARE complex by unwinding it in a processive manner, similar to translocation of AAA+ adenosine triphosphatases (ATPases) on DNA or peptide substrates (*17, 18*). Alternatively, NSF may exploit a critical conformational transition to evoke the disassembly of the SNARE complex largely in one step (*19*). It is not clear

how many cycles of ATP hydrolysis are needed and how these cycles are organized to disassemble the extraordinarily stable SNARE complex.

To gain insight into these questions, we first formed single SNARE complexes on surface-immobilized vesicles (*20, 21*), which were observed as single-molecule fluorescence spots when viewed with total internal reflection (TIR) microscopy (Fig. 1, A and B, and fig. S1). Here the soluble part of VAMP2 was used and labeled with the Cy3 dye. We subsequently injected α -SNAP and then the NSF hexamers (*2, II, 12*) along with ATP and Mg²⁺ ions (Fig. 1, A and C, and fig. S1A). After 5 min of reaction, we counted the number of fluorescence spots.

We observed that the fluorescence spots disappeared only when α -SNAP, NSF, ATP, and Mg²⁺ were added (Fig. 1, B and D). When any one component was missing or either nonhydrolyzable ATP γ S or α -SNAP L294A mutant that abolished ATP hydrolysis in NSF (*22*) was used, no disappearance of Cy3-labeled spots was observed (Fig. 1D). Thus, the disappearance of Cy3 spots strictly depended on the presence of both α -SNAP and NSF and also on ATP hydrolysis by NSF, indicating that the disassembly of single SNARE complexes induced by NSF and α -SNAP was reconstituted on our single-molecule fluorescence microscope.

We next attempted to differentiate between NSF binding and ATP hydrolysis. This time, we introduced NSF with ATP and EDTA to induce ATP-dependent NSF binding but without hydrolysis of ATP molecules (Fig. 1E). Using labeled antibodies, we were able to confirm sequential binding of α -SNAP and NSF (Fig. 1, F and G, and fig. S2, A to C). After formation of the immobilized 20S complexes (NSF/ α -SNAP/SNARE complex), we performed washing and injected Mg²⁺ and ATP. We observed disassembly of single SNARE complexes, indicating that single NSF-binding

¹National Creative Research Initiative Center for Single-Molecule Systems Biology, Korea Advanced Institute of Science and Technology (KAIST), Daejeon 305-701, South Korea. ²Department of Physics, KAIST, Daejeon 305-701, South Korea. ³Graduate School of Medical Science and Engineering, KAIST, Daejeon 305-701, South Korea. ⁴Department of Neurobiology, Max-Planck-Institute for Biophysical Chemistry, 37077 Göttingen, Germany. ⁵Korea Institute for Advanced Study, Seoul 130-722, South Korea.

*These authors contributed equally to this work. †Corresponding author. E-mail: rjahn@gwdg.de (R.J.); tyoon@kaist.ac.kr (T.-Y.Y.)

Intergenerational transmission of child abuse and neglect: Real or detection bias?

Cathy Spatz Widom, Sally J. Czaja and Kimberly A. DuMont

Science **347** (6229), 1480-1485.

DOI: 10.1126/science.1259917

Abuse from generation to generation?

Parents who were abused as children are thought more likely to abuse their own children. Widom *et al.* compared reports from parents, from children, and from child protective service agency records gathered on the same families and on matched controls. They observed different findings depending on which information they used. Increases in sexual abuse and neglect relative to controls were reported by children of abuse victims. However, much of the believed transmission of abuse and neglect between generations could be ascribed to surveillance or detection bias targeted at parents with childhood histories of abuse or neglect.

Science, this issue p. 1480

ARTICLE TOOLS

<http://science.sciencemag.org/content/347/6229/1480>

SUPPLEMENTARY MATERIALS

<http://science.sciencemag.org/content/suppl/2015/03/25/347.6229.1480.DC1>

RELATED CONTENT

<http://science.sciencemag.org/content/sci/347/6229/1408.full>
<http://science.sciencemag.org/content/sci/347/6229/1491.2.full>

REFERENCES

This article cites 35 articles, 2 of which you can access for free
<http://science.sciencemag.org/content/347/6229/1480#BIBL>

PERMISSIONS

<http://www.sciencemag.org/help/reprints-and-permissions>

Use of this article is subject to the [Terms of Service](#)