

# SCALE READING MADE EASY

All the refinements of a Bausch & Lomb optical instrument can not always be seen from the *front*.

For example, the scale of the Bausch & Lomb 50 mm Colorimeter

is made easy to read from the eyepoint position by a reflecting prism and magnifier which are found on the *back*.

The new "Easy to Read" Scale itself is translucent and is illuminated by the regular colorimeter illuminator. The millimeter graduations, which show in black on a bright field, can be easily read in a darkened room from the eyepoint position with the aid of the reflecting prism and magnifier.

The incorporation of this new "Easy to Read" Scale in the construction of the 50 mm Duboseq-type Colorimeter, is a direct result of the constant effort the Bausch & Lomb Optical Company makes to improve and refine its products to the point of maximum efficiency so that they may continue to be known as the standards by which other instruments are judged.

*A catalog describing the complete instrument will be sent as soon as we receive your address.*

## BAUSCH & LOMB OPTICAL COMPANY

632 St. Paul Street

Rochester, N. Y.

Chicago

New York

London

San Francisco

Frankfurt a/M

Boston



# WASHINGTON UNIVERSITY SAINT LOUIS

## School of Medicine

### NEW ADMISSION REQUIREMENTS

At least three years of approved college work including specified requirements in the sciences.

### DEGREE OF B.S. IN MEDICAL SCIENCE

This degree may be awarded at the end of the third or fourth year to students fulfilling certain conditions including the preparation of a thesis.

### DEGREE OF DOCTOR OF MEDICINE

Upon satisfactory completion of prescribed four-year course.

For catalogue and information, address  
THE DEAN, Washington University  
School of Medicine, St. Louis,  
Missouri

## Johns Hopkins University SCHOOL OF MEDICINE

The School of Medicine is an Integral Part of the University and is in the Closest Affiliation with the Johns Hopkins Hospital.

### ADMISSION

Candidates for admission must be graduates of approved colleges or scientific schools with at least two years' instruction (including laboratory work) in chemistry, and one year each in physics and biology, together with evidence of a reading knowledge of French and German.

Each class is limited to a maximum of 75 students, men and women being admitted on the same terms. Applications may be sent any time during the academic year but not later than June 15th.

If vacancies occur, students from other institutions desiring advanced standing may be admitted to the second or third year provided they fulfill our requirements and present exceptional qualifications.

### INSTRUCTION

The academic year begins the Tuesday nearest October 1, and closes the second Tuesday in June. The course of instruction occupies four years and especial emphasis is laid upon practical work in the laboratories, in the wards of the Hospital and in the dispensary.

### TUITION

The charge for tuition is \$400 per annum, payable in three installments. There are no extra fees except for certain expensive supplies, and laboratory breakage.

Inquiries should be addressed to the Executive Secretary of the School of Medicine, Johns Hopkins University, Washington and Monument Streets, Baltimore, Maryland.

## School of Medicine Western Reserve University

Cleveland, Ohio

NEW LABORATORIES AND  
HOSPITALS

RESTRICTED CLASSES

THOROUGH INSTRUCTION

LARGE CLINICAL FACILITIES

HIGH STANDARD OF SCHOLARSHIP

Admission confined to students having academic degrees and to Seniors in Absentia.

*For information address:*

THE REGISTRAR

2109 Adelbert Rd.

CLEVELAND

## BOSTON UNIVERSITY SCHOOL OF MEDICINE

ORGANIZED IN 1873

ANNOUNCEMENT

may be obtained by application to

THE REGISTRAR

80 East Concord Street,

Boston,

Massachusetts

*An improved method of titrating with Methyl Orange is now available, using*

## Methyl Orange-Xylene Cyanole Solution

The blue dye in solution with the indicator acts as an internal filter only, giving a sharp endpoint identical with that of methyl orange alone. The color change is magenta-gray-green, the neutral point corresponding to a hydrogen ion concentration of pH 3.8. The gray endpoint is easily distinguished by observers who have difficulty in matching the light pink tint ordinarily taken as the endpoint for methyl orange. This new indicator solution is prepared ready for use, requiring for best results about 0.2 cc. per 100 cc. of the liquid to be titrated.

Send for the new List No. 16  
*America's Handbook of Organic Chemicals*


**Eastman Kodak Company**

*Research Laboratories*

Rochester, N. Y.

# BECBRO

## LABORATORY RHEOSTATS



Screw Adjustment Type

"BECBRO" Rheostats carried in stock include numerous different ratings.

Included in the stock sizes are tubular types of lengths 20"; 16"; 8"; the resistance element being Wire or Ribbon.

Each tube has a slider adjustment which varies the resistance by very small steps from Zero to total value of the unit.

The approximate total resistance of these stock rheostats varies from 0.3 ohm to 30,000 ohms per unit, and have corresponding current capacities of 25 amperes down to 0.1 ampere.

Rheostats of more or less special construction include the Single Tube equipped with two rods and two sliders; Single and Double Tube equipped with Screw Adjustment (see cut); Double and Triple Tubes mounted as a Unit; Non-Inductive Wound Tubular and Stone Types.

"BECBRO" Carbon Compression Rheostats with corresponding Normal Ratings of 250; 1000; 1500; 3000 Watts.

*Write for Catalog S-20*

# BECK BROS.

3640-42 North Second Street

Philadelphia, Penna.