

New Science Texts For Fall and Winter Courses

Medicine

The Normal Chest. By J. A. Myers. **\$5.00**

Presents all aspects of the normal chest in adults and children.

Modern Aspects of the Diagnosis, Classification and Treatment of Tuberculosis. By J. Arthur Myers. **\$3.75**

A manual of modern practice.

Psychology

Social Psychology Interpreted. By Jesse William Sprowls. **\$4.00**

An introductory text in the problems of social psychology.

Mathematics

The Mathematics of Engineering. By Ralph E. Root. **\$7.50**

A practical course in engineering mathematics.

Bacteriology

An Elementary Laboratory Guide in General Bacteriology. By H. J. Conn. **\$3.00**

To accompany Conn and Conn's *Bacteriology*.

Manual of Veterinary Bacteriology. By Raymond A. Kelsner. **\$5.50**

A comprehensive study in animal bacteriology.

Soil Science

Principles of Soil Microbiology. By Selman A. Waksman. **\$10.00**

A complete, systematic study.

Examination Copies on Request

The Williams & Wilkins Company

Publishers of Scientific Books and Periodicals

Baltimore

Maryland



School of Medicine

NEW ADMISSION REQUIREMENTS

At least three years of approved college work including specified requirements in the sciences.

DEGREE OF B.S. IN MEDICAL SCIENCE

This degree may be awarded at the end of the third or fourth year to students fulfilling certain conditions including the preparation of a thesis.

DEGREE OF DOCTOR OF MEDICINE

Upon satisfactory completion of prescribed four-year course.

For catalogue and information, address
THE DEAN, Washington University
School of Medicine, St. Louis,
Missouri

Marine Biological Laboratory

Woods Hole, Mass.

INVESTIGATION Facilities for research in Zoology, Embryology, Physiology, and Botany. Fifty-two private laboratories \$100 each and ninety-four private laboratories \$200 each for not over three months. Fifty-six tables are available for beginners in research who desire to work under the direction of members of the staff. The fee for such a table is \$50.00.

INSTRUCTION Courses of laboratory instruction with lectures are offered in Invertebrate Zoology, Protozoology, Embryology, Physiology, and Morphology and Taxonomy of the algae. Each course requires the full time of the student. Fee, \$75.00.

BIOLOGICAL SUPPLIES

For the classroom, museum or collector.

First class preparations. Send for new (1926) Catalogue No. 1. Zoological and Embryological material, Life Histories and Habitat Groups.

Catalogue No. 2, Botanical material.

Catalogue No. 3, Microscopic slides.


Address all correspondence regarding material and catalogues to:

Supply Department,
GEO. M. GRAY,

Curator, Woods Hole, Mass.

The annual announcement will be sent on application to The Director, Marine Biological Laboratory, Woods Hole, Mass.





“POINTOLITE” LAMPS

ONE of the most important applications of the “Pointolite” Lamp is in connection with photo-micrographic outfits where it is used as a light source. For this service the “Pointolite” is peculiarly well adapted because it gives an intensely brilliant and remarkably white light from a very small source. Also the light is perfectly steady—giving an evenly distributed field of illumination—and, after starting, it requires no attention whatever.

The 100 c. p. “Pointolite” Lamp is mostly used for this work; and while it is not as bright as a carbon arc and therefore may require a slightly longer exposure of the negative, it usually proves *faster in the long run* because it requires no adjusting and gives no trouble. Such is the experience of many who use it.

“Pointolite” Lamps are used also with microscopes, reflecting galvanometers, oscillographs and optical instruments,—as well as for special photographic and projection work. In fact, they are useful wherever a highly concentrated steady source of white light is needed.

For D. C. circuits “Pointolite” Lamps of 30, 100, 500, and 1000 candle power are available, while for alternating current we have a 150 c. p. lamp. Special Control Boxes for starting and operating the lamps are available for each of the above sizes. These include a socket for the lamp, switching mechanism, attachment plug, etc., ready for use. The illustration above shows a 100 c. p. direct current “Pointolite” Lamp with stand, adjustable lamp holder and reflector, and a Universal Control Box.

Write for illustrated descriptive Bulletin 1100-S.

800.	30 c. p. “Pointolite” Lamp for use with reflecting galvanometer	\$12.00
805.	Control Box for 30 c. p. Lamp, for 100, 110, 120, 200, 220 or 240 volts (state voltage required)	28.80
810.	100 c. p. “Pointolite” Lamp, 3-inch bulb	12.00
815.	Universal Control Box for 100 c. p. Lamp, for 100, 110, 120, 220 and 240 volts.	40.00
820.	500 c. p. “Pointolite” Lamp, 4-inch bulb	20.00
825.	Control Box for 500 c. p. Lamp, for 100, 110 and 120 volts	76.00
860.	150 c. p. Alternating Current “Pointolite” Lamp	12.00
865.	Universal Control Box for 150 c. p. A. C. Lamp, for 100, 110, 120, 220 and 240 volts	44.00

The above prices are net f. o. b. Philadelphia


JAMES G. BIDDLE

ELECTRICAL AND SCIENTIFIC INSTRUMENTS

1211-13 ARCH STREET, PHILADELPHIA

“POINTOLITE” LAMPS	SIEMENS & HALSKE PRECISION INSTRUMENTS	OSCILLOGRAPHS	GALVANOMETERS
DIRECT READING OHMMETERS	“MEGGER” TESTING SETS	LABORATORY POTENTIOMETERS	
LANGMUIR CONDENSATION HIGH-VACUUM PUMPS AND OIL-SEALED		ROTARY VACUUM PUMPS	
LABORATORY AND WORKSHOP RHEOSTATS	SPEED-MEASURING INSTRUMENTS	STANDARDS OF RESISTANCE	

An Achievement in Instrument Design



No. F4462W. \$15.00

Six Instruments in One

Galvanometer

Voltmeter

Millivoltmeter

Microammeter

Ohmmeter

Polarity Indicator

This instrument represents the latest development in an all-purpose electrical measuring instrument, which will be found extremely useful in any laboratory where electrical tests or electrical measurements must be made. Unusual features in this instrument are the result of co-operative work between the engineering departments of Central Scientific Company and the Weston Electrical Instrument Corporation. The instrument is a genuine Weston manufactured exclusively for us.

Although designated a galvanometer, it is exceedingly versatile because it is really six instruments in one. With certain additions it is eight instruments in one. It is the successor of our No. F4462 galvanometer of the three-button type—the type which we first introduced and which has become deservedly popular. The present instrument incorporates improvements and refinements which immensely increase its uses and value. A fact worth noting is that this instrument with all the additional features is but slightly higher in price than our former model.

This new Cenco-Weston galvanometer is of the movable coil type with jewel bearings, enclosed in a beautifully finished metal case with closed bottom. The scale is silvered metal. The binding posts and circuit keys are insulated, being identical with those used on the popular Model 280 Weston meter. Keys 1 and 2 can be locked down, but to prevent injury to the instrument key 3 cannot be permanently closed. To the back of the instrument is attached a permanent etched metal direction plate with circuit diagram and full instructions for use. The instrument is constructed to withstand much abuse. At the same time it is exceedingly sensitive, requiring only 6.25 microwatts of power for full scale deflection. This is very much less than that required by any instrument offered as equivalent.

Specifications

Dimensions 10 cm square by 12 cm high. Scale silvered brass, graduations and lettering in black relief. Length of scale 60 mm, zero center. Scale 50 units each way from zero center. Length of division 1.2 mm, length of figure unit 0.6 mm. Resistance through key 1, 10,000 ohms. Resistance through key 2, 200 ohms. Resistance through key 3, approximately 25 ohms. Sensitiveness: Perceptible motion of pointer with one volt through 600,000 ohms. Case crystal black finish, closed bottom. Etched direction plate with circuit diagram attached to back of case. Approximate weight 1 lb. Zero adjusting device provided. Combination of following instruments: galvanometer, voltmeter, millivoltmeter, microammeter, ohmmeter, polarity indicator; with external shunts and multiplier: ammeter and high range voltmeter. Accuracy 2% of full scale.

For complete description, send for Pamphlet CL8-S or Supplement F127-S

CENTRAL SCIENTIFIC COMPANY
LABORATORY TRADE MARK **SUPPLIES**
Apparatus REG. U.S. PAT. OFF. **Chemicals**
 460 E. Ohio St. Chicago U. S. A.